

FNR-4016/500

Home | Security | Recording | NVRs

FNR-4016/500

Network Video Recorder, 16xIP,

1600x1200 (@4 Channels), H.264, 500GB, 230VAC

Art-Nr. 93037



Main Features

Up to 16 IP video channels

Video compression H.264 and MPEG4

Resolution up to 1600x1200@25fps (4 cameras)

Maximum recording speed 400fps

Client management software, web browser access

Server-client architecture

High security with Linux Embedded operating system

Up to 16TB internal storage capacity

Easy installation - Plug&Play

Various splits for live cameras

Supports megapixel cameras

Simple data export

Specifications

Series	eneo F
IP channels	16
Video inputs (amount)	-
Compression standard	H.264, MPEG-4
Max. recording resolution	1600x1200
Max. recording rate	400 B./Sek., @ 704 x 576
Recording speed	up to 25 fps per channel
Image quality control	1600x1200@25fps (4 channels), 1600x1200@12fps (8 channels), 1280x720@25fps (8 channels), 704x576@25fps (16 channels), 640x480@25fps (16 channels)
Operation mode	Triplex
Storage media	internal: 8x SATA
Harddisk capacity (internal)	500 GB
Max. harddisk capacity (internal)	16 TB

FNR-4016/500

(Continuation Specifications)

Main video outputs	-
Monitor outputs	-
Spot monitor	-
Remote access	remote software, Microsoft Internet Explorer
Recording	permanent, movement, contact, timer, alarm, event
Audio input	-
Audio output	-
Alarm inputs	16
Alarm output	4
Pre-alarm recording	yes
Secondary Storage	MP4
Network	10/100/1000 Base-Tx, RJ45
Network protocols	TCP/IP, PPPoE, DHCP, DNS, DDNS, NTP, SADP, SMTP, SNMP
Network connection	RJ-45
Control units (external)	remote control, mouse
Serial interfaces	RS-485
Interfaces external storage	2x USB 2.0
Remote configuration	via web browser, remote software
Password protection	yes
Supply voltage	100 to 240VAC, 50/60 Hz
Intergrated writer	no
Firmware update	via remote software, USB Flash drive
Supported network suppliers	eneo
ONVIF	no
Dimensions (HxWxD)	442x457x88 mm
Weight	8.0kg
Parts supplied	power cord, Quick Installation Guide, Manual and Software on CD-ROM, installation CD, 19" rack mount angle, screw set
Certificates	CE

Optional accessories

93172	FINITRA	Video Management Software, for eneo F-Series
-------	---------	--

GENITECH Comptabilité

36 Rte de Montpellier · 34230 Vendémian · FR
Phone - 01.49.63.74.41 · Telefax - 01.49.63.74.51
genitech@genitech.fr · — www.genitech.fr

